


Type MXL (Gemiddelde waarden – mm)

Type MXL – steek 2,032 mm							
Type	Steeklengte		Aantal tanden	Type	Steeklengte		Aantal tanden
	(Inch)	(mm)			(Inch)	(mm)	
360 MXL	3,60	91,44	45	1200 MXL•	12,00	304,80	150
432 MXL•	4,32	109,73	54	1224 MXL•	12,24	310,90	153
440 MXL	4,40	111,76	55	1272 MXL•	12,72	323,09	159
448 MXL•	4,48	113,79	56	1280 MXL•	12,80	325,12	160
456 MXL•	4,56	115,82	57	1320 MXL•	13,20	335,28	165
464 MXL•	4,64	117,86	58	1360 MXL•	13,60	345,44	170
480 MXL	4,80	121,92	60	1400 MXL	14,00	355,60	175
488 MXL•	4,88	123,95	61	1440 MXL•	14,40	365,76	180
536 MXL•	5,36	136,14	67	1472 MXL•	14,72	373,89	184
544 MXL•	5,44	138,18	68	1520 MXL•	15,20	386,08	190
560 MXL•	5,60	142,24	70	1560 MXL•	15,60	396,24	195
568 MXL•	5,68	144,27	71	1600 MXL•	16,00	406,40	200
576 MXL•	5,76	146,30	72	1768 MXL•	17,68	449,07	221
600 MXL•	6,00	152,40	75	1800 MXL•	18,00	457,20	225
608 MXL•	6,08	154,43	76	1888 MXL•	18,88	479,55	236
632 MXL•	6,32	160,53	79	1984 MXL•	19,84	503,94	248
640 MXL	6,40	162,56	80	1992 MXL•	19,92	505,97	249
656 MXL•	6,56	166,62	82	2008 MXL•	20,08	510,03	251
664 MXL•	6,64	168,66	83	2048 MXL•	20,48	520,19	256
672 MXL•	6,72	170,69	84	2144 MXL•	21,44	544,58	268
680 MXL•	6,80	172,72	85	2240 MXL•	22,40	568,96	280
704 MXL•	7,04	178,82	88	2384 MXL•	23,84	605,54	298
720 MXL•	7,20	182,88	90	2480 MXL•	24,80	629,92	310
728 MXL•	7,28	184,91	91	2520 MXL•	25,20	640,08	315
736 MXL•	7,36	186,94	92	2680 MXL•	26,80	680,72	335
752 MXL•	7,52	191,01	94	2776 MXL•	27,76	705,10	347
760 MXL•	7,60	193,04	95	2880 MXL•	28,80	731,52	360
776 MXL•	7,76	197,10	97	2920 MXL•	29,20	741,68	365
800 MXL•	8,00	203,20	100	3200 MXL•	32,00	812,80	400
808 MXL•	8,08	205,23	101	3472 MXL•	34,72	881,89	434
816 MXL•	8,16	207,26	102	3624 MXL•	36,24	920,50	453
824 MXL•	8,24	209,30	103	3704 MXL•	37,04	940,82	463
840 MXL•	8,40	213,36	105	3984 MXL•	39,84	1011,94	498
848 MXL•	8,48	215,39	106	4040 MXL•	40,40	1026,16	505
856 MXL•	8,56	217,42	107				
864 MXL•	8,64	219,46	108				
880 MXL	8,80	223,52	110				
896 MXL•	8,96	227,58	112				
904 MXL•	9,04	229,62	113				
912 MXL•	9,12	231,65	114				
920 MXL•	9,20	233,68	115				
960 MXL•	9,60	243,84	120				
976 MXL•	9,76	247,90	122				
984 MXL•	9,84	249,94	123				
1000 MXL•	10,00	254,00	125				
1008 MXL•	10,08	256,03	126				
1040 MXL•	10,40	264,16	130				
1056 MXL•	10,56	268,22	132				
1072 MXL•	10,72	272,29	134				
1080 MXL•	10,80	274,32	135				
1112 MXL•	11,12	282,45	139				
1120 MXL	11,20	284,48	140				
1136 MXL•	11,36	288,54	142				
1176 MXL•	11,76	298,70	147				
1184 MXL•	11,84	300,74	148				

Standaard breedte: 1/8" – Code 012; 3/16" – Code 019; 1/4" – Code 025.

Andere afmetingen op aanvraag. • Geen voorraad-artikel, minimum afname: 2 wikkels




Type XL (Gemiddelde waarden – mm)

Type XL – Steek 5,08 mm							
Type	Steeklengte		Aantal tanden	Type	Steeklengte		Aantal tanden
	(Inch)	(mm)			(Inch)	(mm)	
60 XL	6,00	152,40	30	270 XL	27,00	685,80	135
70 XL	7,00	177,80	35	272 XL•	27,20	690,88	136
80 XL	8,00	203,20	40	274 XL•	27,40	695,96	137
86 XL•	8,60	218,44	43	280 XL	28,00	711,20	140
88 XL	8,80	223,52	44	286 XL•	28,60	726,44	143
90 XL	9,00	228,60	45	290 XL	29,00	736,60	145
92 XL•	9,20	233,68	46	296 XL•	29,60	751,84	148
94 XL•	9,40	238,76	47	300 XL	30,00	762,00	150
96 XL•	9,60	243,84	48	306 XL•	30,60	777,24	153
100 XL	10,00	254,00	50	310 XL	31,00	787,40	155
102 XL•	10,20	259,08	51	316 XL	31,60	802,64	158
106 XL	10,60	269,24	53	320 XL	32,00	812,80	160
108 XL•	10,80	274,32	54	322 XL	32,20	817,88	161
110 XL	11,00	279,40	55	330 XL	33,00	838,20	165
112 XL•	11,20	284,48	56	340 XL•	34,00	863,60	170
116 XL	11,60	294,64	58	344 XL•	34,40	873,76	172
118 XL•	11,80	299,72	59	350 XL•	35,00	889,00	175
120 XL	12,00	304,80	60	360 XL	36,00	914,40	180
124 XL•	12,40	314,96	62	380 XL	38,00	965,20	190
126 XL	12,60	320,04	63	382 XL•	38,20	970,28	191
128 XL	12,80	325,12	64	388 XL•	38,80	985,52	194
130 XL	13,00	330,20	65	390 XL	39,00	990,60	195
134 XL	13,40	340,36	67	392 XL•	39,20	995,68	196
136 XL	13,60	345,44	68	412 XL	41,20	1046,48	206
138 XL•	13,80	350,52	69	414 XL	41,40	1051,56	207
140 XL	14,00	355,60	70	432 XL•	43,20	1097,28	216
142 XL	14,20	360,68	71	434 XL	43,40	1102,36	217
148 XL•	14,80	375,92	74	438 XL•	43,80	1112,52	219
150 XL	15,00	381,00	75	460 XL•	46,00	1168,40	230
156 XL	15,60	396,24	78	498 XL•	49,80	1264,92	249
160 XL	16,00	406,40	80	506 XL•	50,60	1285,24	253
162 XL•	16,20	411,48	81	514 XL	51,40	1305,56	257
166 XL	16,60	421,40	83	580 XL•	58,00	1473,20	290
168 XL•	16,80	426,72	84	630 XL•	63,00	1600,20	315
170 XL	17,00	431,80	85				
174 XL•	17,40	441,96	87				
176 XL	17,60	447,04	88				
178 XL•	17,80	452,12	89				
180 XL	18,00	457,20	90				
182 XL	18,20	462,28	91				
184 XL•	18,40	467,36	92				
188 XL•	18,80	477,52	94				
190 XL	19,00	482,60	95				
192 XL•	19,20	487,68	96				
194 XL•	19,40	492,76	97				
196 XL•	19,60	497,84	98				
200 XL	20,00	508,00	100				
210 XL	21,00	533,40	105				
220 XL	22,00	558,80	110				
230 XL	23,00	584,20	115				
240 XL	24,00	609,60	120				
244 XL•	24,40	619,76	122				
248 XL•	24,80	629,92	124				
250 XL	25,00	635,00	125				
260 XL	26,00	660,40	130				


Standaard breedte: 1/4" – Code 025; 5/16" – Code 031; 3/8" – Code 037.

Andere afmetingen op aanvraag • Geen voorraad-artikel, minimum afname: 2 wikkels.

## Tandriemen



(Gemiddelde waarden – mm)



Type L – steek 9,525 mm				Type H – steek 12,7 mm			
Type	Steeklengte		Aantal tanden	Type	Steeklengte		Aantal tanden
	(Inch)	(mm)			(Inch)	(mm)	
109 L	10,88	276,23	29	230 H	23,00	584,20	46
124 L	12,38	314,33	33	240 H	24,00	609,60	48
150 L	15,00	381,00	40	255 H	25,50	647,70	51
165 L	16,50	419,10	44	270 H	27,00	685,80	54
169 L	16,88	428,63	45	280 H	28,00	711,20	56
173 L	17,25	438,15	46	300 H	30,00	762,00	60
187 L	18,75	476,25	50	330 H	33,00	838,20	66
210 L	21,00	533,40	56	335 H	33,50	850,90	67
225 L	22,50	571,50	60	350 H	35,00	889,00	70
232 L	23,25	590,55	62	360 H	36,00	914,40	72
236 L	23,63	600,08	63	370 H	37,00	939,80	74
240 L	24,00	609,60	64	390 H	39,00	990,60	78
255 L	25,50	647,70	68	400 H	40,00	1016,00	80
270 L	27,00	685,80	72	420 H	42,00	1066,80	84
285 L	28,50	723,90	76	430 H	43,00	1092,20	86
300 L	30,00	762,00	80	450 H	45,00	1143,00	90
322 L	32,25	819,15	86	465 H	46,50	1181,10	93
345 L	34,50	876,30	92	480 H	48,00	1219,20	96
360 L	36,00	914,40	96	510 H	51,00	1295,40	102
367 L	36,75	933,45	98	540 H	54,00	1371,60	108
390 L	39,00	990,60	104	560 H	56,00	1422,40	112
405 L	40,50	1028,70	108	570 H	57,00	1447,80	114
420 L	42,00	1066,80	112	600 H	60,00	1524,00	120
435 L	43,50	1104,90	116	630 H	63,00	1600,20	126
450 L	45,00	1143,00	120	650 H	65,00	1651,00	130
454 L	45,38	1152,53	121	660 H	66,00	1676,40	132
480 L	48,00	1219,20	128	680 H	68,00	1727,20	136
510 L	51,00	1295,40	136	700 H	70,00	1778,00	140
525 L	52,50	1333,50	140	730 H	73,00	1854,20	146
540 L	54,00	1371,60	144	750 H	75,00	1905,00	150
600 L	60,00	1524,00	160	770 H	77,00	1955,80	154
630 L	63,00	1600,20	168	800 H	80,00	2032,00	160
660 L	66,00	1676,40	176	850 H	85,00	2159,00	170
				860 H	86,00	2184,40	172
				900 H	90,00	2286,00	180
				950 H	95,00	2413,00	190
				1000 H	100,00	2540,00	200
				1100 H	110,00	2794,00	220
				1250 H	125,00	3175,00	250
				1400 H	140,00	3556,00	280
				1700 H	170,00	4318,00	340


Standaard breedte:

Type L: 1/2" – Code 050; 3/4" – Code 075; 1" – Code 100.


Andere afmetingen op aanvraag.

# Optibelt ZR

## Tandriemen



Type XH



Type XXH

(Gemiddelde waarden – mm)


Type XH – Steek 22,225 mm				Type XXH – Steek 31,75 mm			
Type	Steeklengte		Aantal tanden	Type	Steeklengte		Aantal tanden
	(Inch)	(mm)			(Inch)	(mm)	
507 XH	50,75	1289,05	58	700 XXH	70,00	1778,00	56
560 XH	56,00	1422,40	64	800 XXH	80,00	2032,00	64
630 XH	63,00	1600,20	72	900 XXH	90,00	2286,00	72
700 XH	70,00	1778,00	80	1000 XXH	100,00	2540,00	80
770 XH	77,00	1955,80	88	1200 XXH	120,00	3048,00	96
840 XH	84,00	2133,60	96	1400 XXH	140,00	3556,00	112
980 XH	98,00	2489,20	112	1600 XXH	160,00	4064,00	128
1120 XH	112,00	2844,80	128	1800 XXH	180,00	4572,00	144
1260 XH	126,00	3200,40	144				
1400 XH	140,00	3556,00	160				
1540 XH	154,00	3911,60	176				
1750 XH	175,00	4445,00	200				

Standaard breedte:

Type XH/XXH: 2" – Code 200; 3" – Code 300; 4" – Code 400; 5" – Code 500.

# Optibelt ZR D

## Tandriemen dubbelvertand




Type DXL (Gemiddelde waarden – mm)

Type DXL – Steek 5,08 mm			
Type	Steeklengte		Aantal tanden
	(Inch)	(mm)	
150 DXL	15,00	381,00	75
160 DXL	16,00	406,40	80
170 DXL	17,00	431,80	85
180 DXL	18,00	457,20	90
190 DXL	19,00	482,60	95
200 DXL	20,00	508,00	100
210 DXL	21,00	533,40	105
220 DXL	22,00	558,80	110
230 DXL	23,00	584,20	115
240 DXL	24,00	609,60	120
250 DXL	25,00	635,00	125
260 DXL	26,00	660,40	130
280 DXL	28,00	711,20	140
300 DXL	30,00	762,00	150
310 DXL	31,00	787,40	155

Standaard breedte: 1/4" – Code 025; 5/16" – Code 031; 3/8" – Code 037.


Andere afmetingen op aanvraag.

## Tandriemen dubbelvertand



Type DL

(Gemiddelde waarden – mm)




Type DH

Type DL – Steek 9,525 mm				Type DH – Steek 12,7 mm			
Type	Steeklengte		Aantal tanden	Type	Steeklengte		Aantal tanden
	(Inch)	(mm)			(Inch)	(mm)	
187 DL	18,75	476,25	50	240 DH	24,00	609,60	48
210 DL	21,00	533,40	56	270 DH	27,00	685,80	54
225 DL	22,50	571,50	60	300 DH	30,00	762,00	60
240 DL	24,00	609,60	64	330 DH	33,00	838,20	66
255 DL	25,50	647,70	68	360 DH	36,00	914,40	72
270 DL	27,00	685,80	72	390 DH	39,00	990,60	78
285 DL	28,50	723,90	76	420 DH	42,00	1066,80	84
300 DL	30,00	762,00	80	450 DH	45,00	1143,00	90
322 DL	32,25	819,15	86	480 DH	48,00	1219,20	96
345 DL	34,50	876,30	92	510 DH	51,00	1295,40	102
367 DL	36,75	933,45	98	540 DH	54,00	1371,60	108
390 DL	39,00	990,60	104	570 DH	57,00	1447,80	114
420 DL	42,00	1066,80	112	600 DH	60,00	1524,00	120
450 DL	45,00	1143,00	120	630 DH	63,00	1600,20	126
480 DL	48,00	1219,20	128	660 DH	66,00	1676,40	132
510 DL	51,00	1295,40	136	700 DH	70,00	1778,00	140
540 DL	54,00	1371,60	144	750 DH	75,00	1905,00	150
600 DL	60,00	1524,00	160	800 DH	80,00	2032,00	160
				850 DH	85,00	2159,00	170
				900 DH	90,00	2286,00	180
				1000 DH	100,00	2540,00	200
				1100 DH	110,00	2794,00	220
				1250 DH	125,00	3175,00	250
				1400 DH	140,00	3556,00	280
				1700 DH	170,00	4318,00	340

Standaard breedte:  
Type DL: 1/2" – Code 050; 3/4" – Code 075; 1" – Code 100.

Standaard breedte:  
Type DH: 3/4" – Code 075; 1" – Code 100; 1 1/2" – Code 150; 2" – Code 200; 3" – Code 300.

Andere afmetingen op aanvraag.





Type 2M – Steek 2 mm		
Type	Steeklengte (mm)	Aantal tanden
74 2M•	74,00	37
90 2M•	90,00	45
100 2M•	100,00	50
104 2M•	104,00	52
112 2M•	112,00	56
118 2M•	118,00	59
120 2M•	120,00	60
124 2M•	124,00	62
130 2M•	130,00	65
140 2M•	140,00	70
148 2M•	148,00	74
180 2M•	180,00	90
184 2M•	184,00	92
188 2M•	188,00	94
200 2M•	200,00	100
208 2M•	208,00	104
216 2M•	216,00	108
232 2M•	232,00	116
250 2M•	250,00	125
256 2M•	256,00	128
266 2M•	266,00	133
274 2M•	274,00	137
280 2M•	280,00	140
308 2M•	308,00	154
310 2M•	310,00	155
328 2M•	328,00	164
330 2M•	330,00	165
340 2M•	340,00	170
368 2M•	368,00	184
370 2M•	370,00	185
426 2M•	426,00	213
448 2M•	448,00	224
558 2M•	558,00	279
560 2M•	560,00	280
710 2M•	710,00	355
984 2M•	984,00	492
1066 2M•	1066,00	533
1224 2M•	1224,00	612

Standaard breedte: 3 mm - Code 3; 6 mm - Code 6; 9 mm - Code 9.

Andere afmetingen op aanvraag. • Geen voorraad-artikel, minimum afname: 2 wikkels.

## Tandriemen





Type 3M (Gemiddelde waarden – mm)

Type 3M – Steek 3 mm					
Type	Steeklengte (mm)	Aantal tanden	Type	Steeklengte (mm)	Aantal tanden
111 3M	111,00	37	420 3M	420,00	140
117 3M (HTD)•	117,00	39	426 3M	426,00	142
120 3M (HTD)•	120,00	40	435 3M•	435,00	145
123 3M (HTD)•	123,00	41	447 3M	447,00	149
126 3M (HTD)•	126,00	42	462 3M	462,00	154
129 3M	129,00	43	474 3M	474,00	158
141 3M	141,00	47	477 3M (HTD)•	477,00	159
144 3M	144,00	48	480 3M	480,00	160
150 3M	150,00	50	486 3M	486,00	162
156 3M (HTD)•	156,00	52	489 3M (HTD)•	489,00	163
159 3M	159,00	53	495 3M	495,00	165
165 3M	165,00	55	501 3M	501,00	167
168 3M	168,00	56	513 3M	513,00	171
171 3M	171,00	57	519 3M	519,00	173
174 3M	174,00	58	522 3M	522,00	174
177 3M	177,00	59	525 3M	525,00	175
180 3M	180,00	60	531 3M	531,00	177
183 3M	183,00	61	537 3M	537,00	179
186 3M	186,00	62	558 3M	558,00	186
192 3M	192,00	64	564 3M	564,00	188
195 3M	195,00	65	570 3M	570,00	190
201 3M	201,00	67	582 3M	582,00	194
204 3M	204,00	68	591 3M (HTD)•	591,00	197
207 3M	207,00	69	594 3M (HTD)•	594,00	198
210 3M	210,00	70	597 3M	597,00	199
213 3M	213,00	71	600 3M	600,00	200
216 3M (HTD)	216,00	72	606 3M	606,00	202
225 3M	225,00	75	612 3M (HTD)•	612,00	204
237 3M (HTD)•	237,00	79	615 3M	615,00	205
240 3M	240,00	80	633 3M	633,00	211
243 3M (HTD)•	243,00	81	648 3M (HTD)•	648,00	216
246 3M (HTD)	246,00	82	669 3M	669,00	223
249 3M (HTD)•	249,00	83	672 3M (HTD)•	672,00	224
252 3M	252,00	84	675 3M	675,00	225
255 3M	255,00	85	708 3M (HTD)•	708,00	236
267 3M	267,00	89	711 3M	711,00	237
276 3M	276,00	92	738 3M	738,00	246
282 3M•	282,00	94	753 3M (HTD)	753,00	251
285 3M	285,00	95	804 3M	804,00	268
288 3M	288,00	96	816 3M	816,00	272
291 3M	291,00	97	843 3M	843,00	281
294 3M	294,00	98	882 3M	882,00	294
300 3M	300,00	100	888 3M	888,00	296
306 3M (HTD)•	306,00	102	945 3M (HTD)	945,00	315
312 3M	312,00	104	960 3M (HTD)•	960,00	320
315 3M	315,00	105	1041 3M (HTD)•	1041,00	347
318 3M	318,00	106	1062 3M	1062,00	354
330 3M	330,00	110	1068 3M (HTD)•	1068,00	356
333 3M	333,00	111	1071 3M (HTD)	1071,00	357
336 3M (HTD)	336,00	112	1125 3M (HTD)•	1125,00	375
339 3M	339,00	113	1176 3M (HTD)•	1176,00	392
345 3M	345,00	115	1245 3M (HTD)•	1245,00	415
357 3M	357,00	119	1263 3M (HTD)	1263,00	421
363 3M	363,00	121	1500 3M (HTD)•	1500,00	500
366 3M	366,00	122	1530 3M (HTD)•	1530,00	510
384 3M	384,00	128	1569 3M	1569,00	523
390 3M	390,00	130	1863 3M (HTD)	1863,00	621
411 3M	411,00	137			

Standaard breedte: 6 mm – Code 6; 9 mm – Code 9; 15 mm – Code 15.

Andere afmetingen op aanvraag. • Geen voorraad-artikel, minimum afname: 2 wikkels.

## Tandriemen



Type 5M (Gemiddelde waarden – mm)



Type 5M – Steek 5 mm					
Type	Steeklengte (mm)	Aantal tanden	Type	Steeklengte (mm)	Aantal tanden
120 5M (HTD)	120,00	24	720 5M	720,00	144
180 5M	180,00	36	740 5M	740,00	148
225 5M	225,00	45	750 5M	750,00	150
255 5M	255,00	51	755 5M	755,00	151
265 5M	265,00	53	775 5M	775,00	155
270 5M	270,00	54	790 5M•	790,00	158
280 5M	280,00	56	800 5M	800,00	160
295 5M	295,00	59	825 5M	825,00	165
300 5M	300,00	60	830 5M	830,00	166
305 5M	305,00	61	835 5M	835,00	167
325 5M	325,00	65	850 5M	850,00	170
330 5M	330,00	66	860 5M	860,00	172
340 5M	340,00	68	890 5M	890,00	178
345 5M (HTD)	345,00	69	900 5M	900,00	180
350 5M	350,00	70	925 5M	925,00	185
360 5M	360,00	72	935 5M	935,00	187
365 5M	365,00	73	940 5M	940,00	188
370 5M	370,00	74	950 5M	950,00	190
375 5M	375,00	75	965 5M	965,00	193
385 5M	385,00	77	975 5M	975,00	195
400 5M	400,00	80	980 5M	980,00	196
415 5M	415,00	83	1000 5M	1000,00	200
425 5M	425,00	85	1025 5M	1025,00	205
450 5M	450,00	90	1035 5M	1035,00	207
460 5M (HTD)	460,00	92	1050 5M	1050,00	210
475 5M	475,00	95	1100 5M	1100,00	220
490 5M	490,00	98	1125 5M	1125,00	225
500 5M	500,00	100	1135 5M	1135,00	227
520 5M	520,00	104	1200 5M	1200,00	240
525 5M	525,00	105	1270 5M	1270,00	254
535 5M	535,00	107	1380 5M•	1380,00	276
540 5M	540,00	108	1400 5M	1400,00	280
550 5M	550,00	110	1420 5M	1420,00	284
560 5M	560,00	112	1425 5M	1425,00	285
565 5M	565,00	113	1500 5M	1500,00	300
575 5M	575,00	115	1595 5M	1595,00	319
580 5M	580,00	116	1690 5M	1690,00	338
600 5M	600,00	120	1790 5M	1790,00	358
610 5M	610,00	122	1800 5M (HTD)•	1800,00	360
615 5M	615,00	123	1870 5M	1870,00	374
620 5M (HTD)	620,00	124	1895 5M	1895,00	379
630 5M	630,00	126	2000 5M	2000,00	400
635 5M	635,00	127	2110 5M	2110,00	422
640 5M	640,00	128	2350 5M	2350,00	470
645 5M	645,00	129	2525 5M	2525,00	505
650 5M	650,00	130			
665 5M	665,00	133			
670 5M	670,00	134			
700 5M	700,00	140			
710 5M	710,00	142			

Standaard breedte: 9 mm – Code 9; 15 mm – Code 15; 25 mm – Code 25.

Andere afmetingen op aanvraag. • Geen voorraad-artikel, minimum afname: 2 wikkels.



## Tandriemen



Type 8M (Gemiddelde waarden – mm)

Type 8M – Steek 8 mm					
Type	Steeklengte (mm)	Aantal tanden	Type	Steeklengte (mm)	Aantal tanden
288 8M•	288,00	36	1280 8M	1280,00	160
320 8M (HTD)	320,00	40	1304 8M	1304,00	163
352 8M•	352,00	44	1328 8M	1328,00	166
376 8M	376,00	47	1344 8M	1344,00	168
416 8M•	416,00	52	1360 8M	1360,00	170
424 8M	424,00	53	1400 8M	1400,00	175
480 8M	480,00	60	1424 8M	1424,00	178
512 8M	512,00	64	1432 8M (HTD)	1432,00	179
520 8M	520,00	65	1440 8M	1440,00	180
560 8M	560,00	70	1520 8M	1520,00	190
576 8M	576,00	72	1552 8M	1552,00	194
600 8M	600,00	75	1584 8M•	1584,00	198
608 8M	608,00	76	1600 8M	1600,00	200
624 8M (HTD)	624,00	78	1680 8M	1680,00	210
632 8M	632,00	79	1696 8M	1696,00	212
640 8M	640,00	80	1728 8M	1728,00	216
656 8M	656,00	82	1760 8M	1760,00	220
680 8M	680,00	85	1800 8M	1800,00	225
712 8M	712,00	89	1904 8M	1904,00	238
720 8M	720,00	90	1936 8M	1936,00	242
760 8M	760,00	95	2000 8M	2000,00	250
776 8M	776,00	97	2080 8M	2080,00	260
784 8M	784,00	98	2104 8M	2104,00	263
800 8M	800,00	100	2240 8M	2240,00	280
824 8M	824,00	103	2248 8M	2248,00	281
840 8M	840,00	105	2272 8M	2272,00	284
848 8M	848,00	106	2400 8M	2400,00	300
856 8M	856,00	107	2504 8M	2504,00	313
880 8M	880,00	110	2600 8M	2600,00	325
896 8M	896,00	112	2800 8M	2800,00	350
912 8M	912,00	114	3048 8M	3048,00	381
920 8M	920,00	115	3280 8M	3280,00	410
960 8M	960,00	120	3600 8M	3600,00	450
976 8M	976,00	122	4400 8M	4400,00	550
1000 8M	1000,00	125			
1040 8M	1040,00	130			
1056 8M	1056,00	132			
1064 8M	1064,00	133			
1080 8M	1080,00	135			
1096 8M	1096,00	137			
1120 8M	1120,00	140			
1128 8M	1128,00	141			
1160 8M	1160,00	145			
1184 8M	1184,00	148			
1200 8M	1200,00	150			
1216 8M	1216,00	152			
1224 8M	1224,00	153			
1248 8M	1248,00	156			
1256 8M	1256,00	157			
1264 8M•	1264,00	158			

Standaard breedte: 20 mm – Code 20; 30 mm – Code 30; 50 mm – Code 50; 85 mm – Code 85.

Andere afmetingen op aanvraag. • Geen voorraad-artikel, minimum afname: 2 wikkels.